



FATİH GRUP

M A K İ N A

WOODWORKING MACHINERY(Ağaç işleme Makineleri)

EDGE BANDING MACHINES(Kenar Bantlama Makineleri)

DOOR MANUFACTURING MACHINES(Kapı İmalat Makineleri)

ALUMINUM COMPOSITE PANELS PROCESSING MACHINES(Alüminyum

Kompozit panel işleme makineleri) MILLING MACHINES(Freze Makineleri)

PRESS MACHINE(Pres Makinesi)

SPARE PARTS(Yedek Parça)

WOOD TOOLS(Ahşap Araçlar)

CNC WOODWORKING MACHINE(Cnc Ağaç işleme Makineleri)

**ADRESS ; Keresteciler Sanayi sitesi 5.A Blok No;6-8 Başakşehir- İstanbul /
TÜRKİYE**

ADRESS ; Keresteciler Sanayi sitesi 5.A Blok No;6-8 Başakşehir- İstanbul /
TÜRKİYE



MACHINE MARKET



ÖZKAR



OZKAR MACHINE - EDGE BANDING MACHINE

OZKAR KB-360

4 FUNCTIONS

- HEAD AND END CUTTING;
- TOP AND BOTTOM MILLING;
- RADIUS SCRAPING;
- POLISHING (BUFFING)
- EXTRA DUST SUCTION INSIDE



FATİH GRUP
MAKİNA

OZKAR MACHINE - EDGE BANDING MACHINE

5 FUNCTIONS

OZKAR KB-460

- PRE MILLING;
- HEAD AND END CUTTING;
- TOP AND BOTTOM MILLING;
- RADIUS SCRAPING;
- POLISHING (BUFFING)
- EXTRA DUST SUCTION INSIDE



OZKAR MACHINE - EDGE BANDING MACHINE

- PRE MILLING;
- HEAD AND END CUTTING;
- TRIM
- GROOVING
- TOP AND BOTTOM MILLING;
- RADIUS SCRAPING;
- POLISHING (BUFFING)
- EXTRA DUST SUCTION INSIDE


OZKAR KB-760

7(FULL)
FUNCTIONS



FATİH GRUP
MAKİNA

ÖZ ANADOLU - EDGE BANDING MACHINE



- **TOP AND BOTTOM MILLING;**
- **POLISHING (BUFFING)**

KBM-1040

2 FUNCTIONS



FATİH GRUP
MAKİNA

OZ ANADOLU - EDGE BANDING MACHINE

- **TOP AND BOTTOM MILLING;**
- **SCRAPING**
- **POLISHING (BUFFING)**

KBM-1050

3 FUNCTIONS



FATİH GRUP
MAKİNA

OZ ANADOLU - EDGE BANDING MACHINE

- HEAD AND END CUTTING
- TOP AND BOTTOM MILLING;
- POLISHING (BUFFING)


KBM-1055

3 FUNCTIONS



FATİH GRUP
MAKİNA

OZ ANADOLU - EDGE BANDING MACHINE



- HEAD AND END CUTTING
- TOP AND BOTTOM MILLING;
- SCRAPING
- POLISHING (BUFFING)

KBM-1060

4 FUNCTIONS



FATİH GRUP
MAKİNA

OZ ANADOLU - EDGE BANDING MACHINE

- **PRE MILLING**

- **HEAD AND END CUTTING**


- **TOP AND BOTTOM
MILLING**

- **SCRAPING**

- **POLISHING (BUFFING)**

KBM-1080

5 FUNCTIONS



FATİH GRUP
MAKİNA

OZ ANADOLU - EDGE BANDING MACHINE

KBM - 1090

5 FUNCTIONS


- HEAD AND END CUTTING
- RADIUS TRIM
- TOP AND BOTTOM MILLING
- SCRAPING
- POLISHING (BUFFING)



FATİH GRUP
MAKİNA

OZ ANADOLU - CURVED EDGE BANDING MACHINE

CM-110



TECHNICAL SPECIFICATIONS

Working Method	Hot Cold
Crimping Thickness	1-2-3 mm
Clamping Height	15-68 mm
Small Reservoir Heater	600 watt
Glue Container Heater	1700 watt
Electric power	2 kW - 380 watt



FATİH GRUP
MAKİNA

AYZA MIZRAK - EDGE BANDING MACHINE

- HEAD AND END CUTTING
- TOP AND BOTTOM MILLING
- DISC RADIUS SCRAPING
- POLISHING (BUFFING)

AYZABAND 4 ULTRA

4 FUNCTIONS



FATİH GRUP
MAKİNA

AYZA MIZRAK - EDGE BANDING MACHINE

AYZABAND 4FR ULTRA


- PRE MILLING
- HEAD AND END CUTTING
- TOP AND BOTTOM MILLING
- DISC RADIUS SCRAPING
- POLISHING (BUFFING)

5 FUNCTIONS



FATİH GRUP
MAKİNA

AYZA MIZRAK - EDGE BANDING MACHINE



PLC SCREEN (10 INCH)

- **PRE MILLING**
- **HEAD AND END CUTTING**
- **TRIM**
- **TOP AND BOTTOM**
- **MILLING**
- **DISC RADIUS SCRAPING**
- **POLISHING (BUFFING)**

AYZABAND 6

6 FUNCTIONS



FATİH GRUP
MAKİNA

AYZA MIZRAK - EDGE BANDING MACHINE

PLC SCREEN (10 INCH)

- PRE MILLING
- HEAD AND END CUTTING TRIM
- TOP AND BOTTOM MILLING
- DISC RADIUS SCRAPING
- POLISHING (BUFFING)
- GROOVING WITH JUMPING SYSTEM

AYZABAND 7

7 FUNCTIONS



FATİH GRUP
MAKİNA

AYZA MIZRAK - SLIDING TABLE SAW

CLASSIC 2200



CLASSIC 3200



CLASSIC SERIES

CLASSIC 2800




CLASSIC 3800



FATİH GRUP
MAKİNA

AYZA MIZRAK - SLIDING TABLE SAW

GOLD 3200



GOLD 2800



GOLD SERIES


GOLD 3800



FATİH GRUP
MAKİNA

AYZA MIZRAK - SLIDING TABLE SAW

GOLD PLUS 3200



GOLD PLUS 3800




**TIPTRONIC
GOLD PLUS SERIES**



FATİH GRUP
MAKİNA

ANADOLU AMS - EDGE BANDING MACHINE

- TOP AND BOTTOM MILLING
- RADIUS SCRAPING POLISHING (BUFFING)



ELEGANT 3R


3 FUNCTIONS



FATİH GRUP
MAKİNA

ANADOLU AMS - EDGE BANDING MACHINE

- HEAD AND END CUTTING
- TOP AND BOTTOM
MILLING
- SCRAPING
- POLISHING (BUFFING)




ELEGANT 4

4 FUNCTIONS



FATİH GRUP
MAKİNA

ANADOLU AMS - EDGE BANDING MACHINE



- HEAD AND END CUTTING
- TOP AND BOTTOM MILLING
- SOLVENT (SPRAYING)
- RADIUS SCRAPING
- POLISHING (BUFFING)

ELEGANT 4S


5 FUNCTIONS



FATİH GRUP
MAKİNA

ANADOLU AMS - EDGE BANDING MACHINE

- HEAD AND END CUTTING
- TOP AND BOTTOM
MILLING
- SCRAPING
- POLISHING (BUFFING)
- GROOVING



ELEGANT 5


5 FUNCTIONS



FATİH GRUP
MAKİNA

ANADOLU AMS - EDGE BANDING MACHINE

- **PRE MILLING**
- **HEAD AND END CUTTING**
- **TOP AND BOTTOM**
- **MILLING**
- **SOLVENT (SPRAYING)**
- **RADIUS SCRAPING**
- **POLISHING (BUFFING)**



ELEGANT 6S


6 FUNCTIONS



FATİH GRUP
MAKİNA

ANADOLU AMS - EDGE BANDING MACHINE

- **PRE MILLING**
- **HEAD AND END CUTTING**
- **TOP AND BOTTOM
MILLING**
- **SOLVENT (SPRAYING)**
- **RADIUS SCRAPING**
- **GROOVING**
- **POLISHING (BUFFING)**



ELEGANT 7S


7 FUNCTIONS



FATİH GRUP
MAKİNA

ANADOLU AMS - CURVED EDGE BANDING MACHINE

- 380 V - 3 PHASE - 50 HZ
- PNEUMATIC CONNECTION- 6 BARS
- WORKING PROCEDURE- HOT METHOD
- CRIMPING THICKNESS- 0.4 - 3 MM
- CLAMPING HEIGHT- 10 - 66 MM



E.K.50.R

CURVED EDGE
BANDING



FATİH GRUP
MAKİNA

NEV ÜNSAL- MINIFIX MACHINE



2 X 21

MINIFIX


TEKNİK ÖZELLİKLER
TECHNICAL SPECIFICATIONS

Tabla Uzunluk Ebadı/ <i>Table Length Size</i>	120cmx40cm
Delme Kapasitesi/ <i>Drilling Capacity</i>	32mmx64mm
Motor Gücü/ <i>Motor Power</i>	2.2hp 3000/devir/dk
Ağırlık/ <i>Weight</i>	500 kg



FATİH GRUP
MAKİNA


NEV ÜNSAL- MINIFIX MACHINE



3 X 2 1

TEKNİK ÖZELLİKLER TECHNICAL SPECIFICATIONS

Tabla Uzunluk Ebadı/ <i>Table Length Size</i>	145
Delme Kapasitesi/ <i>Drilling Capacity</i>	32mmx64mm
Motor Gücü/ <i>Motor Power</i>	2.2hp 3000/devir/dk
Ağırlık/ <i>Weight</i>	600 kg



MINIFIX



FATİH GRUP
MAKİNA

NEV ÜNSAL- MINIFIX MACHINE



4X21

TEKNİK ÖZELLİKLER TECHNICAL SPECIFICATIONS

Tabla Uzunluk Ebadı/Table Length Size	190 cm
Delme Kapasitesi/Drilling Capacity	32mmx64mm
Motor Gücü/Motor Power	2.2hp 3000/devir/tk
Ağırlık/Weight	900 kg



MINIFIX




FATİH GRUP
MAKİNA

NEV ÜNSAL- MINIFIX MACHINE

7X21

TEKNİK ÖZELLİKLER TECHNICAL SPECIFICATIONS

Tabla Uzunluk Ebadı/ <i>Table Length Size</i>	300cm
Delme Kapasitesi/ <i>Drilling Capacity</i>	32mmx64mm
Motor Gücü/ <i>Motor Power</i>	2.2hp 3000/devir/dk
Ağırlık/ <i>Weight</i>	1600 kg



MINIFIX




FATİH GRUP
MAKİNA

ULUDAG- MITER SAW MACHINE


STYLE-250'S

MITER SAW



FATİH GRUP
MAKİNA

OZTEMSAN - HINGE OPENING MACHINE



HINGE OPENING


750W - 1HP - 220 V
3000 RPM - 20 KG



FATİH GRUP
MAKİNA



HASDEM-PLANNING MACHINE



HMD-108

HMD 108 40'S DOUBLE MOTOR COMPLETE
PLANNING MACHINE

PLANNING MACHINE



FATİH GRUP
MAKİNA

OZYONMAK-MILLING MACHINE

- MILLING HEIGHT- 850 MM
- SHAFT DIAMETERS- 3 MM
- MOTOR POWER- 5.5 HP

UF 2300



MILLING
MACHINE



FATİH GRUP
MAKİNA


NETMAK-MILLING MACHINE

- MILLING HEIGHT- 850 MM
- TABLE SIZE : 790X970 MM
- MOTOR POWER- 3,2 - 4 HP



FRS-900

SACCULAR
MILLING MACHINE



FATİH GRUP
MAKİNA

NETMAK- THICKNESS MACHINE

THICKNESS MACHINE

KA - 400 - 500 - 600



FATİH GRUP
MAKİNA

NETMAK- THICKNESS MACHINE

KA - 400

Table Size	: 420x790mm
Max. Processing Width	: 400mm
Max. Machining Height	: 250mm
Max. Chip Removal	: 8mm
Number of Cutter Blades	: 4
Cutter Blade Diameter	: 110Ømm
Spindle Speed	: 4500 rpm
Pulling Speed	: 7-14 m/min
Cutter Motor Power	: 5.5 HP / 4 kW
Tractor Engine Power	: 0.70-0.95 HP
Table Engine*	: 0.25 HP
General Dimensions	: 800x1000x1050 mm
Net weight*	: 620 kg

KA - 500

Table Size	: 520x890mm
Max. Processing Width	: 500mm
Max. Machining Height	: 250mm
Max. Chip Removal	: 8mm
Number of Cutter Blades	: 4
Spindle Speed	: 4500 rpm
Pulling Speed	: 7-14 m/min
Cutter Motor Power	: 7.5 HP / 5.5 KW
Tractor Engine Power	: 0.8-1.22 HP
Table Engine*	: 0.25 HP
General Dimensions	: 900x1100x1050 mm
Net weight**	: 740 kg

KA - 600

Table Size	: 620x990mm
Max. Processing Width	: 600mm
Max. Machining Height	: 250mm
Max. Chip Removal	: 8mm
Number of Cutter Blades	: 4
Cutter Blade Diameter	: 120mm
Spindle Speed	: 4500 rpm
Pulling Speed	: 7-14 m/min
Cutter Motor Power	: 10 HP / 7.5 KW
Tractor Engine Power	: 0.8-1.22 HP
Table Engine*	: 0.37 HP
General Dimensions	: 1000x1100x1050 mm
Net weight**	: 850 kg

SPECIFICATIONS



FATİH GRUP
MAKİNA

NETMAK- MILLING MACHINE



FR 2000 SERIES

FR 2000 SA



FR 2000 I.T



FR 2000




FR 2000 S



FATİH GRUP
MAKİNA

NETMAK - MILLING MACHINE



TEKNİK ÖZELLİKLER TECHNICAL DATA

		FR 2000	FR 2000 S	FR 2000 SA	FR 2000 IT
Tabla Ebadı <i>Table Size</i>	mm	1000 x 750	1000 x 750	1000 x 750	2000 x 800
Tabla Tipi <i>Table Type</i>	T	Düz Tablalı <i>Fixed Table</i>	Arabalı <i>Carriage</i>	Takviye Arabalı <i>Added Carriage</i>	İlave Tablalı <i>Added Table</i>
Tabla Yüksekliği <i>Table Height</i>	mm	850	850	850	850
Mil Çapı <i>Diameter of Spindle</i>	ø mm	30	30	30	30
Pens <i>Clamps</i>	ø mm	14	14	14	14
Mil Kursu <i>Vertical Movement of Spindle</i>	mm	150	150	150	150
Mil Morsu <i>Taper of Spindle Morse</i>	MK	5	5	5	5
Motor Gücü <i>Motor Power</i>	Kw HP	5.5 7.5	5.5 7.5	5.5 7.5	5.5 7.5
Mil Devri <i>RPM of Spindle</i>	d / dak rpm	4000 - 6000 - 8000 - 10000			
Genel Ölçüler <i>Overall Dimensions</i>	mm	850x1000x1400	850x1000x1400	850x1050x1400	850x1950x1400
Net Ağırlık <i>Net Weight</i>	kg.	480	540	560	550

SPECIFICATIONS FR 2000 SERIES



FATİH GRUP
MAKİNA

NETMAK- MILLING MACHINE



FR 2100 SERIES

FR 2100 SA



FR 2100 S



FR 2100 I.T




FR 2100



FATİH GRUP
MAKİNA



NETMAK- MILLING MACHINE



TEKNİK ÖZELLİKLER TECHNICAL DATA

		FR 2100	FR 2100 S	FR 2100 SA	FR 2100 IT
Tabla Ebadı Table Size	mm	1200 x 800	1200 x 800	1200 x 800	2200 x 840
Tabla Tipi Table Type	T	Düz Tablalı Fixed Table	Arabalı Carriage	Takviye Arabalı Added Carriage	İlave Tablalı Added Table
Tabla Yüksekliği Table Height	mm	850	850	850	850
Mil Çapı Diameter of Spindle	ø mm	30 / 35	30 / 35	30 / 35	30 / 35
Pens Clamps	ø mm	14	14	14	14
Mil Kursu Vertical Movement of Spindle	mm	150	150	150	150
Mil Morsu Taper of Spindle Morse	MK	5	5	5	5
Motor Gücü Motor Power	Kw HP	7.5 10	7.5 10	7.5 10	7.5 10
Mil Devri RPM of Spindle	d / dak rpm	4000 - 6000 - 8000			
Genel Ölçüler Overall Dimensions	mm	900x1250x1300	900x1250x1400	970x1250x1450	950x2200x1300
Net Ağırlık Net Weight	kg.	600	660	680	670

SPECIFICATIONS FR 2100 SERIES




FATİH GRUP
MAKİNA

HMZ BILSUN- DUST COLLECTOR



DUST COLLECTOR

2000 M3/ 4000 M3/ 6000 M3/ 8000 M3/ 10000 M3



FATİH GRUP
MAKİNA



HMZ BILSUN- DUST COLLECTOR



2000M3 1.5KW 2HP

DUST COLLECTOR

HMZ BILSUN- DUST COLLECTOR


DUST COLLECTOR

**4000 M3 2.2 KW 3HP
DOUBLE BAG**



FATİH GRUP
MAKİNA

HMZ BILSUN- DUST COLLECTOR



**6000M3 5.5KW 7,5 HP
DOUBLE BAG**

DUST COLLECTOR

HMZ BILSUN

6000



FATİH GRUP
MAKİNA

HMZ BILSUN- DUST COLLECTOR



8000M3 7.5KW 10HP
DOUBLE BAG

DUST COLLECTOR


HMZ BILSUN

8000



FATİH GRUP
MAKİNA

HMZ BILSUN- DUST COLLECTOR



**10.000M3 11KW 15HP
TRIPLE BAG**

HMZ BILSUN

DUST COLLECTOR



FATİH GRUP
MAKİNA

HMZ BILSUN- DUST COLLECTOR

DUST COLLECTOR


**20.000M3 22 KW
DOUBLE MOTOR; LOWER
HOPPER 10 BAGS**



FATİH GRUP
MAKİNA

SETKOM- AIR COMPRESSORS

DOUBLE STAGE
PISTON



AIR
COMPRESSORS



FATİH GRUP
MAKİNA













SETKOM- AIR COMPRESSORS



SPECIFICATIONS

AIR COMPRESSORS

ÇİFT KADEMELİ PİSTONLU KOMPRESÖRLER / TWO STAGE PISTON AIR COMPRESSORS

Code															
	Stationary	Lt/min	CFM	m ³ /h	Kw	Hp	Pump	Cylinder	RPM	Voltage	Faz	Bar	PSI	X x Y x Z mm	Kg
SET 40/200-4	200	514	18.20	30.84	3	4	4900	2	1425	400	3	12	159	1330x610x1060	112
SET 40/200-4MP	200	514	18.20	30.84	3	4M	4900	2	1425	230	1	12	159	1330x610x1060	112
SET 40/200-5.5P	200	520	18.41	31.2	4	5.5	4900	2	1425	400	3	12	159	1330x610x1060	112
SET 40/300-4	300	514	18.20	30.84	3	4	4900	2	1425	400	3	12	159	1680x500x1030	165
SET 40/300-5.5P	300	520	18.41	31.2	4	5.5	4900	2	1425	400	3	12	159	1680x500x1030	170
SET 40/300-4MP	300	514	18.20	30.84	3	4	4900	2	1425	230	1	12	159	1680x500x1030	165
SET 40/400-4	400	514	18.20	30.84	3	4	4900	2	1425	400	3	12	159	1650x650x1250	210
SET 40/400-4MP	400	514	18.20	30.84	3	4	4900	2	1425	230	1	12	159	1650x650x1250	210
SET 40/400-5.5P	400	520	18.41	31.2	4	5.5	4900	2	1425	400	3	12	159	1650x650x1250	215
SET 50/500-5.5P	500	653	23.12	39.18	4	5.5	5900	2	1160	400	3	12	159	1950x650x1250	230
SET 50/500-7.5P	500	700	24.78	42	5.5	7.5	5900	2	1160	400	3	12	159	1950x650x1250	230
SET 60/500-7.5P	500	827	29.28	49.62	5.5	7.5	6000	2	1325	400	3	12	159	1950x650x1250	235
SET 60/500-10P	500	860	30.44	51.6	7.5	10	6000	2	1325	400	3	12	159	1950x650x1250	235
SET 70/500-10P	500	1210	42.83	72.6	7.5	10	7000	2	1160	400	3	12	159	1950x650x1300	250
SET 70/500-15YP	500	1410	49.91	84.6	11	15	7000	2	1300	400	3	12	159	1950x650x1300	260
SET 2x50 / 750-2x5.5P	750	1306	46.23	78.36	2x4	2x5,5	2x5900	4	1160	400	3	12	159	2700x650x1300	420
SET 2x60 / 750-2x7.5P	750	1654	58.55	99.24	2x5,5	2x7,5	2x6000	4	1325	400	3	12	159	2700x650x1300	440

200 Litre depo hacimli kompresörlerimiz tekerleklidir.

Compressors which have 200 liter tank storage are wheeled.



FATİH GRUP
M A K İ N A



**WOODWORKING
MACHINE**

FATİH GRUP
MAKİNA



E-mail : info@fatihgrupmakina.com.tr